

8V1320 GATES SUPER HC® Endless V-belts GATES

SKU: 4G0008V1320



Specificaties

Type riem	Narrow wrapped
Hoogte riem (mm)	23
Breedte riem (mm)	26
Antistatisch	Nee
Spoorlengte (mm)	3355
Materiaal riem	Chloroprene
Koordmateriaal	Polyester
Eenheden	pc
Riemprofiel	8V
Gewicht (kg)	1.86
Omschrijving (EN)	The Gates® Super HC™ V-belt combines the strength of a wrapped belt construction with the economies of a narrow section V-belt. It transmits more power in a given space and allows more compact drive design than classical section V-belts. In short, it offers you more power and considerably reduces the space needed. This significantly cuts the overall drive cost. Super HC™ V-belts also have exclusive Gates construction features for longer life on your drives! Meets RMA oil and heat resistant standards and static conductivity requirements. Up to 300% capacity increase over classical belts. Temperature Range: -30°C to +60°C (-22°F to +140°F).
Minimale temperatuur (°C)	-30

Maximale temperatuur (°C)	+60
EAN-code	5414465803192
Aangepaste code	4010.3900.90
numberOfRibs	1
Status	Normal
oringColour	BLACK
Land van herkomst	FR
Constructie	Bandless
beltInside	Smooth
beltBackSide	Smooth
OC(mm)	3355
Hoek	40
Bereik/ROHS-conformiteit	REACH and RoHS 2
ISO1-standaard	1813
Merk	GATES
Breedte riem (mm)	26
Antistatisch	Nee
Materiaal riem	Chloroprene
Riemprofiel	8V
Gewicht (kg)	1.86
Minimale temperatuur (°C)	-30
Maximale temperatuur (°C)	+60
Land van herkomst	FR

Beschrijving

8V1320 GATES SUPER HC® Endless V-belts

Product URL

<https://aandrijftechniek.nl/product/8v1320-gates-super-hc-endless-v-belts-gates/>