

## D210 GATES HI-POWER?? Endless V-belts GATES

SKU: 4G50032X5335



### Specificaties

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type riem         | Classical wrapped                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Hoogte riem (mm)  | 19                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Breedte riem (mm) | 32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Antistatisch      | Nee                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Binnenlengte (mm) | 5335                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Spoorlengte (mm)  | 5461                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Materiaal riem    | Chloroprene                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Koordmateriaal    | Polyester                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Eenheden          | pc                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Riemprofiel       | D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Gewicht (kg)      | 3.69                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Omschrijving (EN) | <p>The wrapped classical section Hi-Power??? V-belt has a long reputation for reliability on agricultural and industrial applications. The arched top of the Hi-Power??? belt provides superior strength to prevent "dishing" and distortion of the tensile section. The cords are properly aligned, each of them carrying its full share of the load. Arched top, concave sidewalls and rounded corners provide uniform tensile loading and uniform pulley sidewall contact for excellent belt service life and reduced pulley wear. The vulcanised Flex-bonded tensile cords provide superior resistance to tensile and flexing forces, fatigue and shock loads. The Flex Weave oil and heat resistant cover protects the belt core from the toughest environments.</p> |

|                                   |                  |
|-----------------------------------|------------------|
| <b>Minimale temperatuur (??C)</b> | -30              |
| <b>Maximale temperatuur (??C)</b> | +60              |
| <b>EAN-code</b>                   | 5412571053098    |
| <b>Aangepaste code</b>            | 4010.3900.90     |
| <b>numberOfRibs</b>               | 1                |
| <b>Status</b>                     | Normal           |
| <b>oringColour</b>                | BLACK            |
| <b>Land van herkomst</b>          | PL               |
| <b>Constructie</b>                | Bandless         |
| <b>beltInside</b>                 | Smooth           |
| <b>beltBackSide</b>               | Smooth           |
| <b>OC(mm)</b>                     | 5474             |
| <b>Hoek</b>                       | 39               |
| <b>Bereik/ROHS-conformiteit</b>   | REACH and RoHS 2 |
| <b>ISO1-standaard</b>             | 1813             |
| <b>Merk</b>                       | GATES            |
| <b>Breedte riem (mm)</b>          | 32               |
| <b>Antistatisch</b>               | Nee              |
| <b>Binnenlengte (mm)</b>          | 5335             |
| <b>Materiaal riem</b>             | Chloroprene      |
| <b>Riemprofiel</b>                | D                |
| <b>Gewicht (kg)</b>               | 3.69             |
| <b>Minimale temperatuur (??C)</b> | -30              |
| <b>Maximale temperatuur (??C)</b> | +60              |
| <b>Land van herkomst</b>          | PL               |

## Beschrijving

D210 GATES HI-POWER?? Endless V-belts

## Product URL

<https://aandrijftechniek.nl/product/d210-gates-hi-power-endless-v-belts-gates/>