

GT3 168 2MGT 2800 GATES POWERGRIP?? GT3 Endless timing belts GATES

SKU: 7G002168-WGT3



Specificaties

Gewicht (kg/m)	0.199
Spoed (mm)	2
Hoogte riem (mm)	1.5
Breedte riem (mm)	711
Spoorlengte (mm)	168
Materiaal riem	Chloroprene
Koordmateriaal	Glass
Eenheden	pc
Riemprofiel	2MGT
numberOfTeethZ	84
toothWidthMM	0.7
Gewicht (kg)	0.199
beltWidthCodeInch	28

Omschrijving (EN)	PowerGrip??? GT???3 belts are made of a highly advanced combination of materials designed to reduce both initial and operating costs. The entire PowerGrip??? GT???3 belt range is suited both for new drive designs as for performance upgrades on existing drives. It has two times the rating of competitive RPP??? belts and its predecessors PowerGrip??? GT??? and HTD???, with the largest selection of belts and sprockets in the industry. The 2MGT, 3MGT and 5MGT pitches are ideal for compact drives on hand tools, business machines, domestic appliances and high precision servomotor drives. Technically advanced compound with fibre glass tensile cord. Elastomeric backing protects the cords from environmental pollution and frictional wear. Low friction nylon facing protects the tooth surface against wear.
Minimale temperatuur (??C)	-30
Maximale temperatuur (??C)	+100
EAN-code	5414465858390
Aangepaste code	4010.3900.90
Status	Normal
oringColour	Black
Land van herkomst	GB
beltBackSide	Smooth
Tandvorm	GT Design
sided	Single Sided
StatConductive	No
fabricMaterial	Nylon
beltEnd	Endless
sprockCompatable	PowerGrip GT
Merk	GATES
Gewicht (kg/m)	0.199
Spoed (mm)	2
Breedte riem (mm)	711
Materiaal riem	Chloroprene
Riemprofiel	2MGT
Gewicht (kg)	0.199
Minimale temperatuur (??C)	-30
Maximale temperatuur (??C)	+100

Land van herkomst	GB
-------------------	----

Beschrijving

GT3 168 2MGT 2800 GATES POWERGRIP?? GT3 Endless timing belts

Product URL

<https://aandrijftechniek.nl/product/gt3-168-2mgt-2800-gates-powergrip-gt3-endless-timing-belts-gates/>