

PCV 14MGT 2828 20 GATES POLYCHAIN?? CARBON VOLT Endless timing belts PU GATES

SKU: 7G3142828-20PCV



Specificaties

Spoed (mm)	14
Hoogte riem (mm)	10.2
Breedte riem (mm)	20
Spoorlengte (mm)	2828
Materiaal riem	PU
Koordmateriaal	Carbon
Riemprofiel	14MGT
numberOfTeethZ	202
toothWidthMM	6
Gewicht (kg)	0.443

Omschrijving (EN)	The power you want, the safety you never had! Anti-static power transmission belts are a necessity in volatile environments, like those found in the energy, agriculture, and petrochemical industries. The Poly Chain?? Carbon??? Volt?? belt is the only belt in the market that provide an industry-leading solution that meets ISO 9563 standard for static conductivity over the full lifetime of the belt. Its patented static-conductive jacket construction transfers static electricity safely to carbon tensile cords, away from the driven side of the application - making it your safest and strongest option for applications in ATEX environments. Gates uses patented Carbon Fibre tensile cords for increased horsepower rating, compactness and flexibility, while also allowing the use of backside. When combined with Gates?? Poly Chain?? GT?? sprockets, you'll have a lightweight, long-lasting, maintenance-free system that's more than a match for roller chain. Static conductive (ISO 9563) and can as such be used in the conditions described in the directive 2014/34/EU- ATEX. Chemically resistant polyurethane compound that ensures optimum adhesion with the carbon tensile cords. Carbon fibre reinforcement for high strength and length stability.
Minimale temperatuur (??C)	-54
Maximale temperatuur (??C)	+85
EAN-code	5414465492846
Aangepaste code	3926.9097.90
Status	Normal
oringColour	Black
Land van herkomst	US
beltBackSide	Ribbed
Tandvorm	GT Design
sided	Single Sided
StatConductive	Yes
fabricMaterial	Nylon
beltEnd	Endless
sprockCompatable	Poly Chain GT
Merk	GATES
Spoed (mm)	14
Breedte riem (mm)	20
Materiaal riem	PU
Riemprofiel	14MGT
Gewicht (kg)	0.443

Minimale temperatuur (°C)	-54
Maximale temperatuur (°C)	+85
Land van herkomst	US

Beschrijving

PCV 14MGT 2828 20 GATES POLYCHAIN?? CARBON VOLT Endless timing belts PU

Product URL

<https://aandrijftechniek.nl/product/pcv-14mgt-2828-20-gates-polychain-carbon-volt-endless-timing-belts-pu-gates/>