

TP GT2 2100 14MGT 85 GATES PowerGrip™ Twin Power™ Endless timing belts GATES

SKU: 7G2142100-85GT2



Specificaties

Gewicht (kg/m)	2.28
Spoed (mm)	14
Hoogte riem (mm)	15.3
Breedte riem (mm)	85
Spoorlengte (mm)	2100
Materiaal riem	Chloroprene
Koordmateriaal	Glass
Eenheden	pc
Riemprofiel	14MGT
numberOfTeethZ	150
toothWidthMM	5.8
Gewicht (kg)	2.28
beltWidthCodeInch	100

Omschrijving (EN)	PowerGrip™ GT™2 Twin Power™ Belts feature dual-sided teeth to provide equal load carrying capacity on either belt surface, enabling synchronisation from both driving surfaces. These synchronous belts ensure high loading capacity on contra-rotating drives and ensure smooth running and high flexibility. Gates® Twin Power™ PowerGrip™ GT™2 belts are designed to perform at high speeds and characterised by low running noise, with a larger tooth profile for increased performance capacity. Virtually maintenance-free with no lubrication requirements and minimal re-tensioning needs. Belt capacity is equal to standard single-sided PowerGrip® timing belts. Substantially quieter operation enables wide application usage.
Minimale temperatuur (°C)	-30
Maximale temperatuur (°C)	+100
EAN-code	5414465086601
Aangepaste code	4010.3900.90
Status	Normal
oringColour	Black
Land van herkomst	GB
beltBackSide	Notched
Tandvorm	GT Design
sided	Double Sided
StatConductive	No
fabricMaterial	Nylon
beltEnd	Endless
sprockCompatable	PowerGrip HTD
Merk	GATES
Gewicht (kg/m)	2.28
Spoed (mm)	14
Breedte riem (mm)	85
Materiaal riem	Chloroprene
Riemprofiel	14MGT
Gewicht (kg)	2.28
Minimale temperatuur (°C)	-30
Maximale temperatuur (°C)	+100
Land van herkomst	GB

Beschrijving

TP GT2 2100 14MGT 85 GATES PowerGrip™ Twin Power™ Endless timing belts

Product URL

<https://aandrijftechniek.nl/product/tp-gt2-2100-14mgt-85-gates-powergrip-twin-power-endless-timing-belts-gates/>